

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL

0026998



Product features

- ToLEDo™ Twin-Tone: One lamp for all seasons • Perfect for maintaining different settings for day and evening time • Two different colour temperature options: Homelight - 2700K and Cool white - 4000K • The change in colour temperature is controlled by standard on/off switch - Default colour temperature: homelight - Press the on/off switch again to change the colour temperature to cool white • Available in A60 806lm • Energy class A+ • 15,000 hours average rated life • Non-dimmable • 3 years warranty • High colour rendering - CRI80



NOTES

undefined

PRODUCT OVERVIEW

Product name	ToLEDo TWIN-TONE 806lm 827-840 E27 SL
Technology	LED
Watt (Rated) (W)	8
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740598
Warranty	3 years
Luminous flux (lm)	806
Light colour	Homelight-Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	8
Product Voltage (V)	230
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288269986
Chromaticity coordinate Y	0.33

DATA TABLE

General data

Product name	ToLEDo TWIN-TONE 806lm 827-840 E27 SL
Technology	LED
Watt (Rated) (W)	8
Lamp shape	Pear-shape

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL
0026998

Cap/Base	E27
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740598
Warranty	3 years

Optical data

Luminous flux (lm)	806
Luminous flux (Rated) (lm)	806
Correlated colour temperature range (K)	2700 - 4000
Light colour	Homelight-Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	8
Equivalent watt (W)	60
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Mains voltage (V)	220-240V~
Product Voltage (V)	230
Lamp power factor	0.53
Control gear required	No
No. Of switching cycles before premature failures	50000
Transformer required	No
Dimmable	No
Drive current (mA)	66
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	8
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	108
Nominal Product Diameter (mm)	60
Max. Lamp Diameter (mm) - D	60
Weight (kg)	0.091

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL
0026998

Packaging

Single packaging type	Carton
Product EAN number	5410288269986
Packaging single length / height (cm)	13.5
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	25410288269980
Units per inner package	8
Packaging inner length / height (cm)	28.5
Packaging inner width (cm)	15.0
Packaging inner depth (cm)	15.0
DUN14 (outer)	15410288269983
Units per outer package	48
Packaging outer length / height (cm)	47.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	32.5

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Suitable for accent lighting	Yes
Safety message	Not Suitable for totally enclosed fixtures

Twin-Tone

ToLEDo TWIN-TONE 806lm 827-840 E27 SL
0026998

